## Boom Lift License Surrey

Boom Lift License Surrey - To operate an aerial boom lift, operators should be certified through training that could be attained using both classroom sessions and practical training and by attaining a boom lift license. Instruction must be given with respect to the type of aerial lift that would be used on the job. A License is required for anybody who works on or operates an aerial boom lift.

Vehicle-mounted aerial devices consist of the following work vehicles: extensible boom platforms, aerial ladders, vertical towers, articulating boom platforms, and any combination of these kinds.

There are some basic safety regulations that apply to all boom lifts. Worker safety while in the basket is a top priority. Workers should have on a body harness and lanyard attached to the boom or basket. Never tie off to an equipment, an adjacent pole or a structure. Workers must stand on the basket floor, and never sit or climb on the edge of the basket. The load limitations of the manufacturer should be adhered to.

Lift operators must be certified to operate an aerial lift. The manufacturer's guidebook should be kept within the lift and the operator should be familiar with all aspects of that specific unit. Operators are responsible for making sure that safety measures are followed in operating the lift. A daily test of lift controls should be done. Set brakes and position outriggers (if they are used) on a stable surface or on pads. When working on a slope, use wheel chocks.

The aerial lift vehicle should never be moved whilst a worker is within the basket of an elevated boom, unless they are making use of equipment which are specifically designed for this. Extensible boom platforms and articulating boom made use of as personnel carriers should have plainly marked, accessible, upper controls. Except for in emergency cases, lower controls must not be utilized to override upper controls unless the person inside the lift gives consent.

Do not wear pole or tree climbers shall whilst working from an aerial lift.
The insulated portion of the aerial lift must not be altered.
Ensure that the booms are thoroughly inspected, that the equipment is properly cradled and the outriggers are in the stowed position before moving.
Make sure that lifts being utilized near or in power lines are di-electrically tested and conform to local rules.